

REACH Information (D/MS series)

Please note that our circular connectors, such as the D/MS and CE01 series, are intended for industrial use and not for consumer products.

For example, Entry 63 of Annex XVII to REACH sets out conditions for the use and sale of articles containing lead. Such articles must not be placed on the market for supply to the general public. In this context, please note that we accept no liability for the use of our industrial connectors in equipment other than industrial equipment or for any problems caused by such misuse.

D/MS、CE01などの丸形コネクタは、一般消費者向け製品ではなく、産業用途向けであることをご留意ください。

規制の一例として、REACH規則附属書XVIIのエントリー63では、鉛材料を含有する物品の使用および販売に関する条件が定められており、

当該物品を一般消費者市場向けに販売してはならないことなどが規定されています。この点を踏まえ、当社の産業用コネクタを産業機器以外に使用した場合、およびそのような誤使用により生じた問題について、当社は一切の責任を負いません。

* Please refer to the standard model for the version with modified key positions.

キー位置変更品については標準品を参照ねがいます。

(Example) D/MS3100A20-17SW => D/MS3100A20-17S

3100A Wall Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A12S-3P	2,000	11,000	1,000	---	Non-compliant
D/MS3100A12S-3S					
D/MS3100A14S-1P	37,000	50,000	---		
D/MS3100A14S-1S	2,000	11,000	1,000		
D/MS3100A14S-2P					
D/MS3100A14S-2S					
D/MS3100A14S-5P					
D/MS3100A14S-5S					
D/MS3100A14S-6P	37,000	50,000	---		
D/MS3100A14S-6S	2,000	11,000	1,000		
D/MS3100A14S-7P					
D/MS3100A14S-7S					
D/MS3100A14S-9P					
D/MS3100A14S-9S					
D/MS3100A16S-1P					
D/MS3100A16S-1S					
D/MS3100A16S-5P					
D/MS3100A16S-5S					
D/MS3100A16S-8P					
D/MS3100A16S-8S					
D/MS3100A16-10P					
D/MS3100A16-10S	25,000				
D/MS3100A18-1P	2,000	50,000	1,000		
D/MS3100A18-1S					
D/MS3100A18-4P					
D/MS3100A18-4S					
D/MS3100A18-5P					
D/MS3100A18-5S				25,000	
D/MS3100A18-8P				2,000	
D/MS3100A18-8S				25,000	
D/MS3100A18-10P				2,000	
D/MS3100A18-10S				25,000	
D/MS3100A18-11P	2,000				
D/MS3100A18-11S	25,000				
D/MS3100A18-12P	2,000				
D/MS3100A18-12S					

3100A Wall Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253)
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	Annex XIV, XVII Judgement
D/MS3100A18-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3100A18-19S					
D/MS3100A18-20P					
D/MS3100A18-20S					
D/MS3100A18-21P					
D/MS3100A18-21S	25,000				
D/MS3100A18-22P	2,000				
D/MS3100A18-22S					
D/MS3100A20-2P	25,000				
D/MS3100A20-2S					
D/MS3100A20-4P	2,000				
D/MS3100A20-4S	25,000				
D/MS3100A20-7P	2,000				
D/MS3100A20-7S					
D/MS3100A20-15P					
D/MS3100A20-15S	25,000				
D/MS3100A20-16P	2,000				
D/MS3100A20-16S	25,000				
D/MS3100A20-17P	2,000				
D/MS3100A20-17S	25,000				
D/MS3100A20-18P	2,000				
D/MS3100A20-18S	25,000				
D/MS3100A20-22P	37,000				
D/MS3100A20-22S	2,000				
D/MS3100A20-23P	37,000				
D/MS3100A20-23S	25,000				
D/MS3100A20-27P	2,000				
D/MS3100A20-27S					
D/MS3100A20-29P					
D/MS3100A20-29S					
D/MS3100A22-2P	37,000				
D/MS3100A22-2S	25,000				
D/MS3100A22-10P	2,000				
D/MS3100A22-10S					
D/MS3100A22-14P					
D/MS3100A22-14S					

3100A Wall Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A22-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3100A22-19S					
D/MS3100A22-22P	37,000				
D/MS3100A22-22S	25,000				
D/MS3100A22-23P	2,000				
D/MS3100A22-23S	25,000				
D/MS3100A22-28P	2,000				
D/MS3100A22-28S	25,000				
D/MS3100A24-2P	2,000				
D/MS3100A24-2S	25,000				
D/MS3100A24-5P	2,000				
D/MS3100A24-5S					
D/MS3100A24-7P					
D/MS3100A24-7S	25,000				
D/MS3100A24-10P	37,000				
D/MS3100A24-10S	25,000				
D/MS3100A24-11P	37,000				
D/MS3100A24-11S	25,000				
D/MS3100A24-20P	2,000				
D/MS3100A24-20S	25,000				
D/MS3100A24-22P	37,000				
D/MS3100A24-22S	25,000				
D/MS3100A24-28P	2,000				
D/MS3100A24-28S					
D/MS3100A28-6P	25,000				
D/MS3100A28-6S					
D/MS3100A28-10P	37,000				
D/MS3100A28-10S	25,000				
D/MS3100A28-11P	2,000				
D/MS3100A28-11S	25,000				
D/MS3100A28-12P	2,000				
D/MS3100A28-12S					
D/MS3100A28-15P					
D/MS3100A28-15S					
D/MS3100A28-16P					
D/MS3100A28-16S					

3100A Wall Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A28-20P	2,000	50,000	1,000	---	Non-compliant
D/MS3100A28-20S	25,000				
D/MS3100A28-21P	2,000				
D/MS3100A28-21S					
D/MS3100A32-1P	25,000				
D/MS3100A32-1S					
D/MS3100A32-2P					
D/MS3100A32-2S					
D/MS3100A32-5P					
D/MS3100A32-5S					
D/MS3100A32-7P	2,000				
D/MS3100A32-7S	25,000				
D/MS3100A32-8P	2,000				
D/MS3100A32-8S	25,000				
D/MS3100A32-9P					
D/MS3100A32-9S					
D/MS3100A32A-10P	2,000				
D/MS3100A32A-10S					
D/MS3100A32-17P	25,000				
D/MS3100A32-17S					
D/MS3100A32-414P	2,000				
D/MS3100A32-414S					
D/MS3100A36-3P	25,000				
D/MS3100A36-3S					
D/MS3100A36-4P					
D/MS3100A36-4S					
D/MS3100A36-5P					
D/MS3100A36-5S					
D/MS3100A36-9P	37,000				
D/MS3100A36-9S	25,000				
D/MS3100A36-10P	2,000				
D/MS3100A36-10S					
D/MS3100A36-73P					
D/MS3100A36-73S					

3101A Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A12S-3P	2,000	11,000	1,000	---	Non-compliant
D/MS3101A12S-3S					
D/MS3101A14S-1P	37,000	50,000	---		
D/MS3101A14S-1S	2,000	11,000	1,000		
D/MS3101A14S-2P					
D/MS3101A14S-2S					
D/MS3101A14S-5P					
D/MS3101A14S-5S					
D/MS3101A14S-6P	37,000	50,000	---		
D/MS3101A14S-6S	2,000	11,000	1,000		
D/MS3101A14S-7P					
D/MS3101A14S-7S					
D/MS3101A14S-9P					
D/MS3101A14S-9S					
D/MS3101A16S-1P					
D/MS3101A16S-1S					
D/MS3101A16S-5P					
D/MS3101A16S-5S					
D/MS3101A16S-8P					
D/MS3101A16S-8S					
D/MS3101A16-10P					
D/MS3101A16-10S	25,000				
D/MS3101A18-1P	2,000	50,000	1,000		
D/MS3101A18-1S					
D/MS3101A18-4P					
D/MS3101A18-4S					
D/MS3101A18-5P					
D/MS3101A18-5S	25,000				
D/MS3101A18-8P	2,000				
D/MS3101A18-8S	25,000				
D/MS3101A18-10P	2,000				
D/MS3101A18-10S	25,000				
D/MS3101A18-11P	2,000				
D/MS3101A18-11S	25,000				
D/MS3101A18-12P	2,000				
D/MS3101A18-12S					

3101A Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A18-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3101A18-19S					
D/MS3101A18-20P					
D/MS3101A18-20S					
D/MS3101A18-21P					
D/MS3101A18-21S	25,000				
D/MS3101A18-22P	2,000				
D/MS3101A18-22S					
D/MS3101A20-2P	25,000				
D/MS3101A20-2S					
D/MS3101A20-4P	2,000				
D/MS3101A20-4S	25,000				
D/MS3101A20-7P	2,000				
D/MS3101A20-7S					
D/MS3101A20-15P					
D/MS3101A20-15S	25,000				
D/MS3101A20-16P	2,000				
D/MS3101A20-16S	25,000				
D/MS3101A20-17P	2,000				
D/MS3101A20-17S	25,000				
D/MS3101A20-18P	2,000				
D/MS3101A20-18S	25,000				
D/MS3101A20-22P	37,000				
D/MS3101A20-22S	2,000				
D/MS3101A20-23P	37,000				
D/MS3101A20-23S	25,000				
D/MS3101A20-27P	2,000				
D/MS3101A20-27S					
D/MS3101A20-29P					
D/MS3101A20-29S					
D/MS3101A22-2P	37,000				
D/MS3101A22-2S	25,000				
D/MS3101A22-10P	2,000				
D/MS3101A22-10S					
D/MS3101A22-14P					
D/MS3101A22-14S					

3101A Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A22-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3101A22-19S					
D/MS3101A22-22P	37,000				
D/MS3101A22-22S	25,000				
D/MS3101A22-23P	2,000				
D/MS3101A22-23S	25,000				
D/MS3101A22-28P	2,000				
D/MS3101A22-28S	25,000				
D/MS3101A24-2P	2,000				
D/MS3101A24-2S	25,000				
D/MS3101A24-5P	2,000				
D/MS3101A24-5S					
D/MS3101A24-7P					
D/MS3101A24-7S	25,000				
D/MS3101A24-10P	37,000				
D/MS3101A24-10S	25,000				
D/MS3101A24-11P	37,000				
D/MS3101A24-11S	25,000				
D/MS3101A24-20P	2,000				
D/MS3101A24-20S	25,000				
D/MS3101A24-22P	37,000				
D/MS3101A24-22S	25,000				
D/MS3101A24-28P	2,000				
D/MS3101A24-28S					
D/MS3101A28-6P	25,000				
D/MS3101A28-6S					
D/MS3101A28-10P	37,000				
D/MS3101A28-10S	25,000				
D/MS3101A28-11P	2,000				
D/MS3101A28-11S	25,000				
D/MS3101A28-12P	2,000				
D/MS3101A28-12S					
D/MS3101A28-15P					
D/MS3101A28-15S					
D/MS3101A28-16P					
D/MS3101A28-16S					

3101A Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A28-20P	2,000	50,000	1,000	---	Non-compliant
D/MS3101A28-20S	25,000				
D/MS3101A28-21P	2,000				
D/MS3101A28-21S					
D/MS3101A32-1P	25,000				
D/MS3101A32-1S					
D/MS3101A32-2P					
D/MS3101A32-2S					
D/MS3101A32-5P					
D/MS3101A32-5S					
D/MS3101A32-7P	2,000				
D/MS3101A32-7S	25,000				
D/MS3101A32-8P	2,000				
D/MS3101A32-8S	25,000				
D/MS3101A32-9P					
D/MS3101A32-9S					
D/MS3101A32A-10P	2,000				
D/MS3101A32A-10S					
D/MS3101A32-17P	25,000				
D/MS3101A32-17S					
D/MS3101A32-414P	2,000				
D/MS3101A32-414S					
D/MS3101A36-3P	25,000				
D/MS3101A36-3S					
D/MS3101A36-4P					
D/MS3101A36-4S					
D/MS3101A36-5P					
D/MS3101A36-5S					
D/MS3101A36-9P	37,000				
D/MS3101A36-9S	25,000				
D/MS3101A36-10P	2,000				
D/MS3101A36-10S					
D/MS3101A36-73P					
D/MS3101A36-73S					

3102A Box Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3102A10SL-3P	2,000	11,000	1,000	---	Non-compliant
D/MS3102A10SL-4P					
D/MS3102A12S-3P					
D/MS3102A12S-3S					
D/MS3102A14S-1P	37,000	50,000	---		
D/MS3102A14S-1S	2,000	11,000	1,000		
D/MS3102A14S-2P					
D/MS3102A14S-2S					
D/MS3102A14S-5P					
D/MS3102A14S-5S	37,000	50,000	---		
D/MS3102A14S-6P					
D/MS3102A14S-6S					
D/MS3102A14S-7P					
D/MS3102A14S-7S	2,000	11,000	1,000		
D/MS3102A14S-9P					
D/MS3102A14S-9S					
D/MS3102A16S-1P					
D/MS3102A16S-1S					
D/MS3102A16S-5P					
D/MS3102A16S-5S					
D/MS3102A16S-8P					
D/MS3102A16S-8S					
D/MS3102A16-10P					
D/MS3102A16-10S	25,000				
D/MS3102A18-1P	2,000	50,000	1,000		
D/MS3102A18-1S					
D/MS3102A18-4P					
D/MS3102A18-4S					
D/MS3102A18-5P					
D/MS3102A18-5S	25,000				
D/MS3102A18-8P	2,000				
D/MS3102A18-8S	25,000				
D/MS3102A18-10P	2,000				
D/MS3102A18-10S	25,000				
D/MS3102A18-11P	2,000				
D/MS3102A18-11S	25,000				

3102A Box Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3102A18-12P	2,000	50,000	1,000	---	Non-compliant
D/MS3102A18-12S					
D/MS3102A18-19P					
D/MS3102A18-19S					
D/MS3102A18-20P					
D/MS3102A18-20S					
D/MS3102A18-21P					
D/MS3102A18-21S	25,000				
D/MS3102A18-22P	2,000				
D/MS3102A18-22S					
D/MS3102A20-2P	25,000				
D/MS3102A20-2S					
D/MS3102A20-4P	2,000				
D/MS3102A20-4S	25,000				
D/MS3102A20-7P	2,000				
D/MS3102A20-7S					
D/MS3102A20-15P					
D/MS3102A20-15S	25,000				
D/MS3102A20-16P	2,000				
D/MS3102A20-16S	25,000				
D/MS3102A20-17P	2,000				
D/MS3102A20-17S	25,000				
D/MS3102A20-18P	2,000				
D/MS3102A20-18S	25,000				
D/MS3102A20-22P	37,000				
D/MS3102A20-22S	25,000				
D/MS3102A20-23P	37,000				
D/MS3102A20-23S	25,000				
D/MS3102A20-27P	2,000				
D/MS3102A20-27S					
D/MS3102A20-29P					
D/MS3102A20-29S					
D/MS3102A22-2P	37,000				
D/MS3102A22-2S	25,000				
D/MS3102A22-10P	2,000				
D/MS3102A22-10S					

3102A Box Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3102A22-14P	2,000	50,000	1,000	---	Non-compliant
D/MS3102A22-14S					
D/MS3102A22-19P					
D/MS3102A22-19S					
D/MS3102A22-22P	37,000				
D/MS3102A22-22S	25,000				
D/MS3102A22-23P	2,000				
D/MS3102A22-23S	25,000				
D/MS3102A22-28P	2,000				
D/MS3102A22-28S	25,000				
D/MS3102A24-2P	2,000				
D/MS3102A24-2S	25,000				
D/MS3102A24-5P	2,000				
D/MS3102A24-5S					
D/MS3102A24-7P					
D/MS3102A24-7S	25,000				
D/MS3102A24-10P	37,000				
D/MS3102A24-10S	25,000				
D/MS3102A24-11P	37,000				
D/MS3102A24-11S	25,000				
D/MS3102A24-20P	2,000				
D/MS3102A24-20S	25,000				
D/MS3102A24-22P	37,000				
D/MS3102A24-22S	25,000				
D/MS3102A24-28P	2,000				
D/MS3102A24-28S					
D/MS3102A28-6P	25,000				
D/MS3102A28-6S					
D/MS3102A28-10P	37,000				
D/MS3102A28-10S	25,000				
D/MS3102A28-11P	2,000				
D/MS3102A28-11S	25,000				
D/MS3102A28-12P	2,000				
D/MS3102A28-12S					
D/MS3102A28-15P					
D/MS3102A28-15S					

3102A Box Mount Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3102A28-16P	2,000	50,000	1,000	---	Non-compliant
D/MS3102A28-16S					
D/MS3102A28-20P					
D/MS3102A28-20S	25,000				
D/MS3102A28-21P	2,000				
D/MS3102A28-21S					
D/MS3102A32-1P	25,000				
D/MS3102A32-1S					
D/MS3102A32-2P					
D/MS3102A32-2S					
D/MS3102A32-5P					
D/MS3102A32-5S					
D/MS3102A32-7P	2,000				
D/MS3102A32-7S	25,000				
D/MS3102A32-8P	2,000				
D/MS3102A32-8S	25,000				
D/MS3102A32-9P					
D/MS3102A32-9S					
D/MS3102A32A-10P	2,000				
D/MS3102A32A-10S					
D/MS3102A32-17P	25,000				
D/MS3102A32-17S					
D/MS3102A32-414P	2,000				
D/MS3102A32-414S					
D/MS3102A36-3P	25,000				
D/MS3102A36-3S					
D/MS3102A36-4P					
D/MS3102A36-4S					
D/MS3102A36-5P					
D/MS3102A36-5S					
D/MS3102A36-9P	37,000				
D/MS3102A36-9S	25,000				
D/MS3102A36-10P	2,000				
D/MS3102A36-10S					
D/MS3102A36-73P					
D/MS3102A36-73S					

3106A Straight Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement			
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---				
D/MS3106A10SL-3S	---	11,000	1,000	---	Non-compliant			
D/MS3106A10SL-4S								
D/MS3106A12S-3P	2,000							
D/MS3106A12S-3S								
D/MS3106A14S-1P	37,000	50,000	---					
D/MS3106A14S-1S	2,000	11,000	1,000					
D/MS3106A14S-2P								
D/MS3106A14S-2S								
D/MS3106A14S-5P								
D/MS3106A14S-5S								
D/MS3106A14S-6P						37,000	50,000	---
D/MS3106A14S-6S						2,000	11,000	
D/MS3106A14S-7P								
D/MS3106A14S-7S								
D/MS3106A14S-9P								
D/MS3106A14S-9S								
D/MS3106A16S-1P								
D/MS3106A16S-1S								
D/MS3106A16S-5P								
D/MS3106A16S-5S								
D/MS3106A16S-8P								
D/MS3106A16S-8S								
D/MS3106A16-10P								
D/MS3106A16-10S				25,000	1,000			
D/MS3106A18-1P	2,000	50,000						
D/MS3106A18-1S								
D/MS3106A18-4P								
D/MS3106A18-4S								
D/MS3106A18-5P								
D/MS3106A18-5S	25,000							
D/MS3106A18-8P	2,000							
D/MS3106A18-8S	25,000							
D/MS3106A18-10P	2,000							
D/MS3106A18-10S	25,000							
D/MS3106A18-11P	2,000							
D/MS3106A18-11S	25,000							

3106A Straight Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106A18-12P	2,000	50,000	1,000	---	Non-compliant
D/MS3106A18-12S					
D/MS3106A18-19P					
D/MS3106A18-19S					
D/MS3106A18-20P					
D/MS3106A18-20S					
D/MS3106A18-21P					
D/MS3106A18-21S	25,000				
D/MS3106A18-22P	2,000				
D/MS3106A18-22S					
D/MS3106A20-2P	25,000				
D/MS3106A20-2S					
D/MS3106A20-4P	2,000				
D/MS3106A20-4S	25,000				
D/MS3106A20-7P	2,000				
D/MS3106A20-7S					
D/MS3106A20-15P					
D/MS3106A20-15S	25,000				
D/MS3106A20-16P	2,000				
D/MS3106A20-16S	25,000				
D/MS3106A20-17P	2,000				
D/MS3106A20-17S	25,000				
D/MS3106A20-18P	2,000				
D/MS3106A20-18S	25,000				
D/MS3106A20-22P	37,000				
D/MS3106A20-22S	25,000				
D/MS3106A20-23P	37,000				
D/MS3106A20-23S	25,000				
D/MS3106A20-27P	2,000				
D/MS3106A20-27S					
D/MS3106A20-29P					
D/MS3106A20-29S					
D/MS3106A22-2P	37,000				
D/MS3106A22-2S	25,000				
D/MS3106A22-10P	2,000				
D/MS3106A22-10S					

3106A Straight Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106A22-14P	2,000	50,000	1,000	---	Non-compliant
D/MS3106A22-14S					
D/MS3106A22-19P					
D/MS3106A22-19S					
D/MS3106A22-22P	37,000				
D/MS3106A22-22S	25,000				
D/MS3106A22-23P	2,000				
D/MS3106A22-23S	25,000				
D/MS3106A22-28P	2,000				
D/MS3106A22-28S	25,000				
D/MS3106A24-2P	2,000				
D/MS3106A24-2S	25,000				
D/MS3106A24-5P	2,000				
D/MS3106A24-5S					
D/MS3106A24-7P					
D/MS3106A24-7S	25,000				
D/MS3106A24-10P	37,000				
D/MS3106A24-10S	25,000				
D/MS3106A24-11P	37,000				
D/MS3106A24-11S	25,000				
D/MS3106A24-20P	2,000				
D/MS3106A24-20S	25,000				
D/MS3106A24-22P	37,000				
D/MS3106A24-22S	25,000				
D/MS3106A24-28P	2,000				
D/MS3106A24-28S					
D/MS3106A28-6P	25,000				
D/MS3106A28-6S					
D/MS3106A28-10P	37,000				
D/MS3106A28-10S	25,000				
D/MS3106A28-11P	2,000				
D/MS3106A28-11S	25,000				
D/MS3106A28-12P	2,000				
D/MS3106A28-12S					
D/MS3106A28-15P					
D/MS3106A28-15S					

3106A Straight Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106A28-16P	2,000	50,000	1,000	---	Non-compliant
D/MS3106A28-16S					
D/MS3106A28-20P					
D/MS3106A28-20S	25,000				
D/MS3106A28-21P	2,000				
D/MS3106A28-21S					
D/MS3106A32-1P	25,000				
D/MS3106A32-1S					
D/MS3106A32-2P					
D/MS3106A32-2S					
D/MS3106A32-5P					
D/MS3106A32-5S					
D/MS3106A32-7P	2,000				
D/MS3106A32-7S	25,000				
D/MS3106A32-8P	2,000				
D/MS3106A32-8S	25,000				
D/MS3106A32-9P					
D/MS3106A32-9S					
D/MS3106A32A-10P	2,000				
D/MS3106A32A-10S					
D/MS3106A32-17P	25,000				
D/MS3106A32-17S					
D/MS3106A32-414P	2,000				
D/MS3106A32-414S					
D/MS3106A36-3P	25,000				
D/MS3106A36-3S					
D/MS3106A36-4P					
D/MS3106A36-4S					
D/MS3106A36-5P					
D/MS3106A36-5S					
D/MS3106A36-9P	37,000				
D/MS3106A36-9S	25,000				
D/MS3106A36-10P	2,000				
D/MS3106A36-10S					
D/MS3106A36-73P					
D/MS3106A36-73S					

3106B Straight Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106B12S-3P	2,000	11,000	1,000	---	Non-compliant
D/MS3106B12S-3S					
D/MS3106B14S-1P	37,000	50,000	---		
D/MS3106B14S-1S	2,000	11,000	1,000		
D/MS3106B14S-2P					
D/MS3106B14S-2S					
D/MS3106B14S-5P					
D/MS3106B14S-5S					
D/MS3106B14S-6P	37,000	50,000	---		
D/MS3106B14S-6S	2,000	11,000	1,000		
D/MS3106B14S-7P					
D/MS3106B14S-7S					
D/MS3106B14S-9P					
D/MS3106B14S-9S					
D/MS3106B16S-1P					
D/MS3106B16S-1S					
D/MS3106B16S-5P					
D/MS3106B16S-5S					
D/MS3106B16S-8P					
D/MS3106B16S-8S					
D/MS3106B16-10P					
D/MS3106B16-10S	25,000				
D/MS3106B18-1P	2,000	50,000	1,000		
D/MS3106B18-1S					
D/MS3106B18-4P					
D/MS3106B18-4S					
D/MS3106B18-5P					
D/MS3106B18-5S	25,000				
D/MS3106B18-8P	2,000				
D/MS3106B18-8S	25,000				
D/MS3106B18-10P	2,000				
D/MS3106B18-10S	25,000				
D/MS3106B18-11P	2,000				
D/MS3106B18-11S	25,000				
D/MS3106B18-12P	2,000				
D/MS3106B18-12S					

3106B Straight Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106B18-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3106B18-19S					
D/MS3106B18-20P					
D/MS3106B18-20S					
D/MS3106B18-21P					
D/MS3106B18-21S	25,000				
D/MS3106B18-22P	2,000				
D/MS3106B18-22S					
D/MS3106B20-2P	25,000				
D/MS3106B20-2S					
D/MS3106B20-4P	2,000				
D/MS3106B20-4S	25,000				
D/MS3106B20-7P	2,000				
D/MS3106B20-7S					
D/MS3106B20-15P					
D/MS3106B20-15S	25,000				
D/MS3106B20-16P	2,000				
D/MS3106B20-16S	25,000				
D/MS3106B20-17P	2,000				
D/MS3106B20-17S	25,000				
D/MS3106B20-18P	2,000				
D/MS3106B20-18S	25,000				
D/MS3106B20-22P	37,000				
D/MS3106B20-22S	25,000				
D/MS3106B20-23P	37,000				
D/MS3106B20-23S	25,000				
D/MS3106B20-27P	2,000				
D/MS3106B20-27S					
D/MS3106B20-29P					
D/MS3106B20-29S					
D/MS3106B22-2P	37,000				
D/MS3106B22-2S	25,000				
D/MS3106B22-10P	2,000				
D/MS3106B22-10S					
D/MS3106B22-14P					
D/MS3106B22-14S					

3106B Straight Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106B22-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3106B22-19S					
D/MS3106B22-22P	37,000				
D/MS3106B22-22S	25,000				
D/MS3106B22-23P	2,000				
D/MS3106B22-23S	25,000				
D/MS3106B22-28P	2,000				
D/MS3106B22-28S	25,000				
D/MS3106B24-2P	2,000				
D/MS3106B24-2S	25,000				
D/MS3106B24-5P	2,000				
D/MS3106B24-5S					
D/MS3106B24-7P					
D/MS3106B24-7S	25,000				
D/MS3106B24-10P	37,000				
D/MS3106B24-10S	25,000				
D/MS3106B24-11P	37,000				
D/MS3106B24-11S	25,000				
D/MS3106B24-20P	2,000				
D/MS3106B24-20S	25,000				
D/MS3106B24-22P	37,000				
D/MS3106B24-22S	25,000				
D/MS3106B24-28P	2,000				
D/MS3106B24-28S					
D/MS3106B28-6P	25,000				
D/MS3106B28-6S					
D/MS3106B28-10P	37,000				
D/MS3106B28-10S	25,000				
D/MS3106B28-11P	2,000				
D/MS3106B28-11S	25,000				
D/MS3106B28-12P	2,000				
D/MS3106B28-12S					
D/MS3106B28-15P					
D/MS3106B28-15S					
D/MS3106B28-16P					
D/MS3106B28-16S					

3106B Straight Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3106B28-20P	2,000	50,000	1,000	---	Non-compliant
D/MS3106B28-20S	25,000				
D/MS3106B28-21P	2,000				
D/MS3106B28-21S					
D/MS3106B32-1P	25,000				
D/MS3106B32-1S					
D/MS3106B32-2P					
D/MS3106B32-2S					
D/MS3106B32-5P					
D/MS3106B32-5S					
D/MS3106B32-7P	2,000				
D/MS3106B32-7S	25,000				
D/MS3106B32-8P	2,000				
D/MS3106B32-8S	25,000				
D/MS3106B32-9P					
D/MS3106B32-9S					
D/MS3106B32A-10P	2,000				
D/MS3106B32A-10S					
D/MS3106B32-17P	25,000				
D/MS3106B32-17S					
D/MS3106B32-414P	2,000				
D/MS3106B32-414S					
D/MS3106B36-3P	25,000				
D/MS3106B36-3S					
D/MS3106B36-4P					
D/MS3106B36-4S					
D/MS3106B36-5P					
D/MS3106B36-5S					
D/MS3106B36-9P	37,000				
D/MS3106B36-9S	25,000				
D/MS3106B36-10P	2,000				
D/MS3106B36-10S					
D/MS3106B36-73P					
D/MS3106B36-73S					

3108B Right Angle Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3108B12S-3P	2,000	11,000	1,000	---	Non-compliant
D/MS3108B12S-3S					
D/MS3108B14S-1P	37,000	50,000	---		
D/MS3108B14S-1S	2,000	11,000	1,000		
D/MS3108B14S-2P					
D/MS3108B14S-2S					
D/MS3108B14S-5P					
D/MS3108B14S-5S					
D/MS3108B14S-6P	37,000	50,000	---		
D/MS3108B14S-6S	2,000	11,000	1,000		
D/MS3108B14S-7P					
D/MS3108B14S-7S					
D/MS3108B14S-9P					
D/MS3108B14S-9S					
D/MS3108B16S-1P					
D/MS3108B16S-1S					
D/MS3108B16S-5P					
D/MS3108B16S-5S					
D/MS3108B16S-8P					
D/MS3108B16S-8S					
D/MS3108B16-10P					
D/MS3108B16-10S	25,000				
D/MS3108B18-1P	2,000	50,000	1,000		
D/MS3108B18-1S					
D/MS3108B18-4P					
D/MS3108B18-4S					
D/MS3108B18-5P					
D/MS3108B18-5S	25,000				
D/MS3108B18-8P	2,000				
D/MS3108B18-8S	25,000				
D/MS3108B18-10P	2,000				
D/MS3108B18-10S	25,000				
D/MS3108B18-11P	2,000				
D/MS3108B18-11S	25,000				
D/MS3108B18-12P	2,000				
D/MS3108B18-12S					

3108B Right Angle Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3108B18-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3108B18-19S					
D/MS3108B18-20P					
D/MS3108B18-20S					
D/MS3108B18-21P					
D/MS3108B18-21S	25,000				
D/MS3108B18-22P	2,000				
D/MS3108B18-22S					
D/MS3108B20-2P	25,000				
D/MS3108B20-2S					
D/MS3108B20-4P	2,000				
D/MS3108B20-4S	25,000				
D/MS3108B20-7P	2,000				
D/MS3108B20-7S					
D/MS3108B20-15P					
D/MS3108B20-15S	25,000				
D/MS3108B20-16P	2,000				
D/MS3108B20-16S	25,000				
D/MS3108B20-17P	2,000				
D/MS3108B20-17S	25,000				
D/MS3108B20-18P	2,000				
D/MS3108B20-18S	25,000				
D/MS3108B20-22P	37,000				
D/MS3108B20-22S	25,000				
D/MS3108B20-23P	37,000				
D/MS3108B20-23S	25,000				
D/MS3108B20-27P	2,000				
D/MS3108B20-27S					
D/MS3108B20-29P					
D/MS3108B20-29S					
D/MS3108B22-2P	37,000				
D/MS3108B22-2S	25,000				
D/MS3108B22-10P	2,000				
D/MS3108B22-10S					
D/MS3108B22-14P					
D/MS3108B22-14S					

3108B Right Angle Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3108B22-19P	2,000	50,000	1,000	---	Non-compliant
D/MS3108B22-19S					
D/MS3108B22-22P	37,000				
D/MS3108B22-22S	25,000				
D/MS3108B22-23P	2,000				
D/MS3108B22-23S	25,000				
D/MS3108B22-28P	2,000				
D/MS3108B22-28S	25,000				
D/MS3108B24-2P	2,000				
D/MS3108B24-2S	25,000				
D/MS3108B24-5P	2,000				
D/MS3108B24-5S					
D/MS3108B24-7P					
D/MS3108B24-7S	25,000				
D/MS3108B24-10P	37,000				
D/MS3108B24-10S	25,000				
D/MS3108B24-11P	37,000				
D/MS3108B24-11S	25,000				
D/MS3108B24-20P	2,000				
D/MS3108B24-20S	25,000				
D/MS3108B24-22P	37,000				
D/MS3108B24-22S	25,000				
D/MS3108B24-28P	2,000				
D/MS3108B24-28S					
D/MS3108B28-6P	25,000				
D/MS3108B28-6S					
D/MS3108B28-10P	37,000				
D/MS3108B28-10S	25,000				
D/MS3108B28-11P	2,000				
D/MS3108B28-11S	25,000				
D/MS3108B28-12P	2,000				
D/MS3108B28-12S					
D/MS3108B28-15P					
D/MS3108B28-15S					
D/MS3108B28-16P					
D/MS3108B28-16S					

3108B Right Angle Plug (Split Backshell)

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3108B28-20P	2,000	50,000	1,000	---	Non-compliant
D/MS3108B28-20S	25,000				
D/MS3108B28-21P	2,000				
D/MS3108B28-21S					
D/MS3108B32-1P	25,000				
D/MS3108B32-1S					
D/MS3108B32-2P					
D/MS3108B32-2S					
D/MS3108B32-5P					
D/MS3108B32-5S					
D/MS3108B32-7P	2,000				
D/MS3108B32-7S	25,000				
D/MS3108B32-8P	2,000				
D/MS3108B32-8S	25,000				
D/MS3108B32-9P					
D/MS3108B32-9S					
D/MS3108B32A-10P	2,000				
D/MS3108B32A-10S					
D/MS3108B32-17P	25,000				
D/MS3108B32-17S					
D/MS3108B32-414P	2,000				
D/MS3108B32-414S					
D/MS3108B36-3P	25,000				
D/MS3108B36-3S					
D/MS3108B36-4P					
D/MS3108B36-4S					
D/MS3108B36-5P					
D/MS3108B36-5S					
D/MS3108B36-9P	37,000				
D/MS3108B36-9S	25,000				
D/MS3108B36-10P	2,000				
D/MS3108B36-10S					
D/MS3108B36-73P					
D/MS3108B36-73S					

3106A(D190) Waterproof Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	2- Imidazolidineth ione	
D/MS3106A10SL-3S(D190)(R1)	---	11,000	1,000	3,000	Non-compliant
D/MS3106A10SL-4S(D190)(R1)					
D/MS3106A12S-3P(D190)(R1)					
D/MS3106A12S-3S(D190)(R1)					
D/MS3106A14S-1P(D190)(R1)	37,000	50,000	---		
D/MS3106A14S-1S(D190)(R1)	2,000	11,000	1,000		
D/MS3106A14S-2P(D190)(R1)					
D/MS3106A14S-2S(D190)(R1)					
D/MS3106A14S-5P(D190)(R1)					
D/MS3106A14S-5S(D190)(R1)					
D/MS3106A14S-6P(D190)(R1)	37,000	50,000	---		
D/MS3106A14S-6S(D190)(R1)	2,000	11,000	1,000		
D/MS3106A14S-7P(D190)(R1)					
D/MS3106A14S-7S(D190)(R1)					
D/MS3106A14S-9P(D190)(R1)					
D/MS3106A14S-9S(D190)(R1)					
D/MS3106A16S-1P(D190)(R1)	---				
D/MS3106A16S-1S(D190)(R1)					
D/MS3106A16S-5P(D190)(R1)					
D/MS3106A16S-5S(D190)(R1)					
D/MS3106A16S-8P(D190)(R1)					
D/MS3106A16S-8S(D190)(R1)					
D/MS3106A16-10P(D190)(R1)					
D/MS3106A16-10S(D190)(R1)	25,000				
D/MS3106A18-1P(D190)(R1)	2,000	50,000			
D/MS3106A18-1S(D190)(R1)					
D/MS3106A18-4P(D190)(R1)					
D/MS3106A18-4S(D190)(R1)					
D/MS3106A18-5P(D190)(R1)					
D/MS3106A18-5S(D190)(R1)			25,000		
D/MS3106A18-8P(D190)(R1)			2,000		
D/MS3106A18-8S(D190)(R1)			25,000		
D/MS3106A18-10P(D190)(R1)			2,000		
D/MS3106A18-10S(D190)(R1)			25,000		
D/MS3106A18-11P(D190)(R1)	2,000				
D/MS3106A18-11S(D190)(R1)	25,000				

3106A(D190) Waterproof Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	2- Imidazolidineth ione	
D/MS3106A18-12P(D190)(R1)	2,000	50,000	1,000	3,000	Non-compliant
D/MS3106A18-12S(D190)(R1)					
D/MS3106A18-19P(D190)(R1)					
D/MS3106A18-19S(D190)(R1)					
D/MS3106A18-20P(D190)(R1)					
D/MS3106A18-20S(D190)(R1)					
D/MS3106A18-21P(D190)(R1)	25,000				
D/MS3106A18-21S(D190)(R1)					
D/MS3106A18-22P(D190)(R1)	2,000				
D/MS3106A18-22S(D190)(R1)					
D/MS3106A20-2P(D190)(R1)	25,000				
D/MS3106A20-2S(D190)(R1)					
D/MS3106A20-4P(D190)(R1)	2,000				
D/MS3106A20-4S(D190)(R1)	25,000				
D/MS3106A20-7P(D190)(R1)	2,000				
D/MS3106A20-7S(D190)(R1)					
D/MS3106A20-15P(D190)(R1)					
D/MS3106A20-15S(D190)(R1)	25,000				
D/MS3106A20-16P(D190)(R1)	2,000				
D/MS3106A20-16S(D190)(R1)	25,000				
D/MS3106A20-17P(D190)(R1)	2,000				
D/MS3106A20-17S(D190)(R1)	25,000				
D/MS3106A20-18P(D190)(R1)	2,000				
D/MS3106A20-18S(D190)(R1)	25,000				
D/MS3106A20-22P(D190)(R1)	37,000				
D/MS3106A20-22S(D190)(R1)	25,000				
D/MS3106A20-23P(D190)(R1)	37,000				
D/MS3106A20-23S(D190)(R1)	25,000				
D/MS3106A20-27P(D190)(R1)	2,000				
D/MS3106A20-27S(D190)(R1)					
D/MS3106A20-29P(D190)(R1)					
D/MS3106A20-29S(D190)(R1)					
D/MS3106A22-2P(D190)(R1)	37,000				
D/MS3106A22-2S(D190)(R1)	25,000				
D/MS3106A22-10P(D190)(R1)	2,000				
D/MS3106A22-10S(D190)(R1)					

3106A(D190) Waterproof Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	2- Imidazolidineth ione	
D/MS3106A22-14P(D190)(R1)	2,000	50,000	1,000	3,000	Non-compliant
D/MS3106A22-14S(D190)(R1)					
D/MS3106A22-19P(D190)(R1)					
D/MS3106A22-19S(D190)(R1)					
D/MS3106A22-22P(D190)(R1)	37,000				
D/MS3106A22-22S(D190)(R1)	25,000				
D/MS3106A22-23P(D190)(R1)	2,000				
D/MS3106A22-23S(D190)(R1)	25,000				
D/MS3106A22-28P(D190)(R1)	2,000				
D/MS3106A22-28S(D190)(R1)	25,000				
D/MS3106A24-2P(D190)(R1)	2,000				
D/MS3106A24-2S(D190)(R1)	25,000				
D/MS3106A24-5P(D190)(R1)	2,000				
D/MS3106A24-5S(D190)(R1)					
D/MS3106A24-7P(D190)(R1)					
D/MS3106A24-7S(D190)(R1)	25,000				
D/MS3106A24-10P(D190)(R1)	37,000				
D/MS3106A24-10S(D190)(R1)	25,000				
D/MS3106A24-11P(D190)(R1)	37,000				
D/MS3106A24-11S(D190)(R1)	25,000				
D/MS3106A24-20P(D190)(R1)	2,000				
D/MS3106A24-20S(D190)(R1)	25,000				
D/MS3106A24-22P(D190)(R1)	37,000				
D/MS3106A24-22S(D190)(R1)	25,000				
D/MS3106A24-28P(D190)(R1)	2,000				
D/MS3106A24-28S(D190)(R1)					
D/MS3106A28-6P(D190)(R1)	25,000				
D/MS3106A28-6S(D190)(R1)					
D/MS3106A28-10P(D190)(R1)	37,000				
D/MS3106A28-10S(D190)(R1)	25,000				
D/MS3106A28-11P(D190)(R1)	---				
D/MS3106A28-11S(D190)(R1)	25,000				
D/MS3106A28-12P(D190)(R1)	---				
D/MS3106A28-12S(D190)(R1)					
D/MS3106A28-15P(D190)(R1)					
D/MS3106A28-15S(D190)(R1)					

3106A(D190) Waterproof Plug

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	2- Imidazolidineth ione	
D/MS3106A28-16P(D190)(R1)	---	50,000	1,000	3,000	Non-compliant
D/MS3106A28-16S(D190)(R1)					
D/MS3106A28-20P(D190)(R1)					
D/MS3106A28-20S(D190)(R1)	25,000				
D/MS3106A28-21P(D190)(R1)	---				
D/MS3106A28-21S(D190)(R1)					
D/MS3106A32-1P(D190)(R1)	25,000				
D/MS3106A32-1S(D190)(R1)					
D/MS3106A32-2P(D190)(R1)					
D/MS3106A32-2S(D190)(R1)					
D/MS3106A32-5P(D190)(R1)					
D/MS3106A32-5S(D190)(R1)					
D/MS3106A32-7P(D190)(R1)	---				
D/MS3106A32-7S(D190)(R1)	25,000				
D/MS3106A32-8P(D190)(R1)	---				
D/MS3106A32-8S(D190)(R1)	25,000				
D/MS3106A32-9P(D190)(R1)					
D/MS3106A32-9S(D190)(R1)					
D/MS3106A32A-10P(D190)(R1)	---				
D/MS3106A32A-10S(D190)(R1)					
D/MS3106A32-17P(D190)(R1)	25,000				
D/MS3106A32-17S(D190)(R1)					
D/MS3106A32-414P(D190)(R1)	---				
D/MS3106A32-414S(D190)(R1)					
D/MS3106A36-3P(D190)(R1)	25,000				
D/MS3106A36-3S(D190)(R1)					
D/MS3106A36-4P(D190)(R1)					
D/MS3106A36-4S(D190)(R1)					
D/MS3106A36-5P(D190)(R1)					
D/MS3106A36-5S(D190)(R1)					
D/MS3106A36-9P(D190)(R1)	37,000				
D/MS3106A36-9S(D190)(R1)	25,000				
D/MS3106A36-10P(D190)(R1)	---				
D/MS3106A36-10S(D190)(R1)					
D/MS3106A36-73P(D190)(R1)					
D/MS3106A36-73S(D190)(R1)					

3100A(D263) Waterproof Wall Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A12S-3P(D263)	---	11,000	1,000	---	Non-compliant
D/MS3100A12S-3S(D263)					
D/MS3100A14S-1P(D263)	37,000	50,000	---		
D/MS3100A14S-1S(D263)	---	11,000	1,000		
D/MS3100A14S-2P(D263)					
D/MS3100A14S-2S(D263)					
D/MS3100A14S-5P(D263)					
D/MS3100A14S-5S(D263)					
D/MS3100A14S-6P(D263)	37,000	50,000	---		
D/MS3100A14S-6S(D263)	---	11,000	1,000		
D/MS3100A14S-7P(D263)					
D/MS3100A14S-7S(D263)					
D/MS3100A14S-9P(D263)					
D/MS3100A14S-9S(D263)					
D/MS3100A16S-1P(D263)					
D/MS3100A16S-1S(D263)					
D/MS3100A16S-5P(D263)					
D/MS3100A16S-5S(D263)					
D/MS3100A16S-8P(D263)					
D/MS3100A16S-8S(D263)					
D/MS3100A16-10P(D263)					
D/MS3100A16-10S(D263)	25,000	50,000	1,000		
D/MS3100A18-1P(D263)	---				
D/MS3100A18-1S(D263)					
D/MS3100A18-4P(D263)					
D/MS3100A18-4S(D263)					
D/MS3100A18-5P(D263)					
D/MS3100A18-5S(D263)	25,000				
D/MS3100A18-8P(D263)	---				
D/MS3100A18-8S(D263)	25,000				
D/MS3100A18-10P(D263)	---				
D/MS3100A18-10S(D263)	25,000				
D/MS3100A18-11P(D263)	---				
D/MS3100A18-11S(D263)	25,000				
D/MS3100A18-12P(D263)	---				
D/MS3100A18-12S(D263)					

3100A(D263) Waterproof Wall Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A18-19P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3100A18-19S(D263)					
D/MS3100A18-20P(D263)					
D/MS3100A18-20S(D263)					
D/MS3100A18-21P(D263)					
D/MS3100A18-21S(D263)	25,000				
D/MS3100A18-22P(D263)	---				
D/MS3100A18-22S(D263)					
D/MS3100A20-2P(D263)	25,000				
D/MS3100A20-2S(D263)					
D/MS3100A20-4P(D263)	---				
D/MS3100A20-4S(D263)	25,000				
D/MS3100A20-7P(D263)	---				
D/MS3100A20-7S(D263)					
D/MS3100A20-15P(D263)					
D/MS3100A20-15S(D263)	25,000				
D/MS3100A20-16P(D263)	---				
D/MS3100A20-16S(D263)	25,000				
D/MS3100A20-17P(D263)	---				
D/MS3100A20-17S(D263)	25,000				
D/MS3100A20-18P(D263)	---				
D/MS3100A20-18S(D263)	25,000				
D/MS3100A20-22P(D263)	37,000				
D/MS3100A20-22S(D263)	25,000				
D/MS3100A20-23P(D263)	37,000				
D/MS3100A20-23S(D263)	25,000				
D/MS3100A20-27P(D263)	---				
D/MS3100A20-27S(D263)					
D/MS3100A20-29P(D263)					
D/MS3100A20-29S(D263)					
D/MS3100A22-2P(D263)	37,000				
D/MS3100A22-2S(D263)	25,000				
D/MS3100A22-10P(D263)	---				
D/MS3100A22-10S(D263)					
D/MS3100A22-14P(D263)					
D/MS3100A22-14S(D263)					

3100A(D263) Waterproof Wall Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A22-19P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3100A22-19S(D263)					
D/MS3100A22-22P(D263)	37,000				
D/MS3100A22-22S(D263)	25,000				
D/MS3100A22-23P(D263)	---				
D/MS3100A22-23S(D263)	25,000				
D/MS3100A22-28P(D263)	---				
D/MS3100A22-28S(D263)	25,000				
D/MS3100A24-2P(D263)	---				
D/MS3100A24-2S(D263)	25,000				
D/MS3100A24-5P(D263)	---				
D/MS3100A24-5S(D263)					
D/MS3100A24-7P(D263)					
D/MS3100A24-7S(D263)	25,000				
D/MS3100A24-10P(D263)	37,000				
D/MS3100A24-10S(D263)	25,000				
D/MS3100A24-11P(D263)	37,000				
D/MS3100A24-11S(D263)	25,000				
D/MS3100A24-20P(D263)	---				
D/MS3100A24-20S(D263)	25,000				
D/MS3100A24-22P(D263)	37,000				
D/MS3100A24-22S(D263)	25,000				
D/MS3100A24-28P(D263)	---				
D/MS3100A24-28S(D263)					
D/MS3100A28-6P(D263)	25,000				
D/MS3100A28-6S(D263)					
D/MS3100A28-10P(D263)	37,000				
D/MS3100A28-10S(D263)	25,000				
D/MS3100A28-11P(D263)	---				
D/MS3100A28-11S(D263)	25,000				
D/MS3100A28-12P(D263)	---				
D/MS3100A28-12S(D263)					
D/MS3100A28-15P(D263)					
D/MS3100A28-15S(D263)					
D/MS3100A28-16P(D263)					
D/MS3100A28-16S(D263)					

3100A(D263) Waterproof Wall Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3100A28-20P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3100A28-20S(D263)	25,000				
D/MS3100A28-21P(D263)	---				
D/MS3100A28-21S(D263)					
D/MS3100A32-1P(D263)	25,000				
D/MS3100A32-1S(D263)					
D/MS3100A32-2P(D263)					
D/MS3100A32-2S(D263)					
D/MS3100A32-5P(D263)					
D/MS3100A32-5S(D263)					
D/MS3100A32-7P(D263)	---				
D/MS3100A32-7S(D263)	25,000				
D/MS3100A32-8P(D263)	---				
D/MS3100A32-8S(D263)	25,000				
D/MS3100A32-9P(D263)					
D/MS3100A32-9S(D263)					
D/MS3100A32A-10P(D263)	---				
D/MS3100A32A-10S(D263)					
D/MS3100A32-17P(D263)	25,000				
D/MS3100A32-17S(D263)					
D/MS3100A32-414P(D263)	---				
D/MS3100A32-414S(D263)					
D/MS3100A36-3P(D263)	25,000				
D/MS3100A36-3S(D263)					
D/MS3100A36-4P(D263)					
D/MS3100A36-4S(D263)					
D/MS3100A36-5P(D263)					
D/MS3100A36-5S(D263)					
D/MS3100A36-9P(D263)	37,000				
D/MS3100A36-9S(D263)	25,000				
D/MS3100A36-10P(D263)	---				
D/MS3100A36-10S(D263)					
D/MS3100A36-73P(D263)					
D/MS3100A36-73S(D263)					

3101A(D263) Waterproof Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement	
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---		
D/MS3101A12S-3P(D263)	---	11,000	1,000			
D/MS3101A12S-3S(D263)						
D/MS3101A14S-1P(D263)	37,000	50,000	---			
D/MS3101A14S-1S(D263)	---	11,000	1,000			
D/MS3101A14S-2P(D263)						
D/MS3101A14S-2S(D263)						
D/MS3101A14S-5P(D263)						
D/MS3101A14S-5S(D263)						
D/MS3101A14S-6P(D263)	37,000	50,000	---			
D/MS3101A14S-6S(D263)	---	11,000				
D/MS3101A14S-7P(D263)						
D/MS3101A14S-7S(D263)						
D/MS3101A14S-9P(D263)						
D/MS3101A14S-9S(D263)						
D/MS3101A16S-1P(D263)						
D/MS3101A16S-1S(D263)						
D/MS3101A16S-5P(D263)						
D/MS3101A16S-5S(D263)						
D/MS3101A16S-8P(D263)						
D/MS3101A16S-8S(D263)						
D/MS3101A16-10P(D263)						
D/MS3101A16-10S(D263)	25,000					
D/MS3101A18-1P(D263)	---					
D/MS3101A18-1S(D263)						
D/MS3101A18-4P(D263)						
D/MS3101A18-4S(D263)						
D/MS3101A18-5P(D263)						
D/MS3101A18-5S(D263)	25,000	50,000				
D/MS3101A18-8P(D263)	---					
D/MS3101A18-8S(D263)	25,000					
D/MS3101A18-10P(D263)	---					
D/MS3101A18-10S(D263)	25,000					
D/MS3101A18-11P(D263)	---					
D/MS3101A18-11S(D263)	25,000					
D/MS3101A18-12P(D263)	---					
D/MS3101A18-12S(D263)						

3101A(D263) Waterproof Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A18-19P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3101A18-19S(D263)					
D/MS3101A18-20P(D263)					
D/MS3101A18-20S(D263)					
D/MS3101A18-21P(D263)					
D/MS3101A18-21S(D263)	25,000				
D/MS3101A18-22P(D263)	---				
D/MS3101A18-22S(D263)					
D/MS3101A20-2P(D263)	25,000				
D/MS3101A20-2S(D263)					
D/MS3101A20-4P(D263)	---				
D/MS3101A20-4S(D263)	25,000				
D/MS3101A20-7P(D263)	---				
D/MS3101A20-7S(D263)					
D/MS3101A20-15P(D263)					
D/MS3101A20-15S(D263)	25,000				
D/MS3101A20-16P(D263)	---				
D/MS3101A20-16S(D263)	25,000				
D/MS3101A20-17P(D263)	---				
D/MS3101A20-17S(D263)	25,000				
D/MS3101A20-18P(D263)	---				
D/MS3101A20-18S(D263)	25,000				
D/MS3101A20-22P(D263)	37,000				
D/MS3101A20-22S(D263)	25,000				
D/MS3101A20-23P(D263)	37,000				
D/MS3101A20-23S(D263)	25,000				
D/MS3101A20-27P(D263)	---				
D/MS3101A20-27S(D263)					
D/MS3101A20-29P(D263)					
D/MS3101A20-29S(D263)					
D/MS3101A22-2P(D263)	37,000				
D/MS3101A22-2S(D263)	25,000				
D/MS3101A22-10P(D263)	---				
D/MS3101A22-10S(D263)					
D/MS3101A22-14P(D263)					
D/MS3101A22-14S(D263)					

3101A(D263) Waterproof Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A22-19P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3101A22-19S(D263)					
D/MS3101A22-22P(D263)	37,000				
D/MS3101A22-22S(D263)	25,000				
D/MS3101A22-23P(D263)	---				
D/MS3101A22-23S(D263)	25,000				
D/MS3101A22-28P(D263)	---				
D/MS3101A22-28S(D263)	25,000				
D/MS3101A24-2P(D263)	---				
D/MS3101A24-2S(D263)	25,000				
D/MS3101A24-5P(D263)	---				
D/MS3101A24-5S(D263)					
D/MS3101A24-7P(D263)					
D/MS3101A24-7S(D263)	25,000				
D/MS3101A24-10P(D263)	37,000				
D/MS3101A24-10S(D263)	25,000				
D/MS3101A24-11P(D263)	37,000				
D/MS3101A24-11S(D263)	25,000				
D/MS3101A24-20P(D263)	---				
D/MS3101A24-20S(D263)	25,000				
D/MS3101A24-22P(D263)	37,000				
D/MS3101A24-22S(D263)	25,000				
D/MS3101A24-28P(D263)	---				
D/MS3101A24-28S(D263)					
D/MS3101A28-6P(D263)	25,000				
D/MS3101A28-6S(D263)					
D/MS3101A28-10P(D263)	37,000				
D/MS3101A28-10S(D263)	25,000				
D/MS3101A28-11P(D263)	---				
D/MS3101A28-11S(D263)	25,000				
D/MS3101A28-12P(D263)	---				
D/MS3101A28-12S(D263)					
D/MS3101A28-15P(D263)					
D/MS3101A28-15S(D263)					
D/MS3101A28-16P(D263)					
D/MS3101A28-16S(D263)					

3101A(D263) Waterproof Cable Receptacle

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	Lead	Peroxide, bis(1-methyl- 1-phenylethyl)	Toluene	---	
D/MS3101A28-20P(D263)	---	50,000	1,000	---	Non-compliant
D/MS3101A28-20S(D263)	25,000				
D/MS3101A28-21P(D263)	---				
D/MS3101A28-21S(D263)					
D/MS3101A32-1P(D263)	25,000				
D/MS3101A32-1S(D263)					
D/MS3101A32-2P(D263)					
D/MS3101A32-2S(D263)					
D/MS3101A32-5P(D263)					
D/MS3101A32-5S(D263)					
D/MS3101A32-7P(D263)	---				
D/MS3101A32-7S(D263)	25,000				
D/MS3101A32-8P(D263)	---				
D/MS3101A32-8S(D263)					
D/MS3101A32-9P(D263)	25,000				
D/MS3101A32-9S(D263)					
D/MS3101A32A-10P(D263)	---				
D/MS3101A32A-10S(D263)					
D/MS3101A32-17P(D263)	25,000				
D/MS3101A32-17S(D263)					
D/MS3101A32-414P(D263)	---				
D/MS3101A32-414S(D263)					
D/MS3101A36-3P(D263)	25,000				
D/MS3101A36-3S(D263)					
D/MS3101A36-4P(D263)					
D/MS3101A36-4S(D263)					
D/MS3101A36-5P(D263)					
D/MS3101A36-5S(D263)					
D/MS3101A36-9P(D263)	37,000				
D/MS3101A36-9S(D263)	25,000				
D/MS3101A36-10P(D263)	---				
D/MS3101A36-10S(D263)					
D/MS3101A36-73P(D263)					
D/MS3101A36-73S(D263)					

97J121-4xxR, 97J121-4xxY Dust Cap

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII
	---	---	---	---	
97J121-410R	---	---	---	---	Compliant
97J121-418R					
97J121-420R					
97J121-422R					
97J121-422Y					
97J121-424R					

97121-4xxR, 97121-4xxY Dust Cap

Part Number	Chemical name / Maximum content(ppm)				SVHC1-33 (250) Annex XIV, XVII
	---	---	---	---	
97121-410Y	---	---	---	---	Compliant
97121-412R					
97121-412Y					
97121-414R					
97121-414Y					
97121-416R					
97121-416Y					
97121-418Y					
97121-420Y					
97121-424Y					
97121-428R					
97121-428Y					
97121-432R					
97121-432Y					
97121-436R					
97121-436Y					

3057-xxA(R1) Cable Clamp

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII
	Lead	---	---	---	
D/MS3057-4A(R1)	2,000	---	---	---	Non-compliant
D/MS3057-6A(R1)					
D/MS3057-8A(R1)					
D/MS3057-10A(R1)					
D/MS3057-12A(R1)					
D/MS3057-16A(R1)					
D/MS3057-20A(R1)					
D/MS3057-24A(R1)					

25042-xxD Dust Cap with Chain for Plug Connector

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII
	---	---	---	---	
D/MS25042-10D	---	---	---	---	Compliant
D/MS25042-12D					
D/MS25042-14D					
D/MS25042-16D					
D/MS25042-18D					
D/MS25042-20D					
D/MS25042-22D					
D/MS25042-24D					
D/MS25042-28D					
D/MS25042-32D					
D/MS25042-36D					

25043-xxD(R1) Dust Cap with Chain for Receptacle Connector

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII
	---	---	---	---	
D/MS25043-10D(R1)	---	---	---	---	Compliant
D/MS25043-12D(R1)					
D/MS25043-14D(R1)					
D/MS25043-16D(R1)					
D/MS25043-18D(R1)					
D/MS25043-20D(R1)					
D/MS25043-22D(R1)					
D/MS25043-24D(R1)					
D/MS25043-28D(R1)					
D/MS25043-32D(R1)					
D/MS25043-36D(R1)					

AN3420-xx(R1) Bushing

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII
	---	---	---	---	
AN3420-4(R1)	---	---	---	---	Compliant
AN3420-6(R1)					
AN3420-8(R1)					
AN3420-10(R1)					
AN3420-12(R1)					
AN3420-16(R1)					
AN3420-20(R1)					
AN3420-24(R1)					

P-100841-10SL(R1), P-100841-xx(R1) Front Gasket

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	---	---	---	2- Imidazolidineth ione	
P-100841-10SL(R1)	---	---	---	3,000	Non-compliant
P-100841-12(R1)					
P-100841-14(R1)					
P-100841-16(R1)					
P-100841-18(R1)					
P-100841-20(R1)					
P-100841-22(R1)					
P-100841-24(R1)					
P-100841-28(R1)					
P-100841-32(R1)					
P-100841-36(R1)					

P-100842-10SL(R1), P-100842-xx(R1) Rear Gasket

Part Number	Chemical name / Maximum content(ppm)				SVHC1-35 (253) Annex XIV, XVII Judgement
	---	---	---	2- Imidazolidineth ione	
P-100842-10SL(R1)	---	---	---	3,000	Non-compliant
P-100842-12(R1)					
P-100842-14(R1)					
P-100842-16(R1)					
P-100842-18(R1)					
P-100842-20(R1)					
P-100842-22(R1)					
P-100842-24(R1)					
P-100842-28(R1)					
P-100842-32(R1)					
P-100842-36(R1)					